## WHAT IS CLAIMED IS:

- 1. A device comprising:
- a storage medium supported in a housing;
- a secure storage medium eraser that erases a data file on the storage medium in response to an erase trigger; and
- a report generator that can create a report on a status of a triggered erasure in response to predetermined criteria.
- 2. The device of claim 1 wherein the report created by the report generator is printed on a substrate.
- 3. The device of claim 2 wherein the report is printed by a printing device in which the storage medium being erased is housed.
- 4. The device of claim 2 wherein the report is printed by a printing device in communication with the secure storage medium eraser.
- 5. The device of claim 1 wherein the report created by the report generator is an e-mail message.
- 6. The device of claim 5 wherein the e-mail message is sent to a system administrator.
- 7. The device of claim 5 wherein the erase trigger is set by a user and the email message is sent to the user setting the erase trigger.
  - 8. The device of claim 1 wherein the report is a sound.

- 9. The device of claim 1 wherein the report generator is configurable by an administrator only.
- 10. The device of claim 1 wherein the predetermined criteria include at least one of an indication of whether a report should be created, a type of report to be generated, and a destination of the report.
- 11. The device of claim 1 wherein the predetermined criteria can be set via a report setup interface.
  - 12. A device comprising:
  - a storage medium supported in a housing;
  - a secure storage medium eraser that erases a data file on the storage medium in response to an erase trigger;
  - a report generator that creates a report on a status of a triggered erasure in response to predetermined criteria; and
  - a report setup interface through which the predetermined criteria can be set.
- 13. The device of claim 12 further including at least one graphical user interface (GUI) element of the report setup interface with which a user can set parameters of the predetermined criteria with which the report generator can create a report.
- 14. The device of claim 13 wherein the at least one GUI element includes a button.
- 15. The device of claim 13 wherein the at least one GUI element includes a virtual keyboard with which a user enters a value of a parameter.

- 16. The device of claim 12 wherein the report setup interface includes a report element indicative of whether a report should be created.
- 17. The device of claim 12 wherein the report setup interface includes a type element indicative of what type of report should be created.
- 18. The device of claim 12 wherein the report setup interface includes a destination element indicative of where the report should be sent.
- 19. The device of claim 12 wherein the report setup interface is accessible by an administrator only.
- 20. The device of claim 12 further including an input apparatus and wherein the report setup interface is accessed via the input apparatus.
- 21. The device of claim 12 wherein the report setup interface is accessed via driver software on a computer in communication with the device.

22. A selective secure erase report generation method comprising:

overwriting a data file according to a predetermined secure erase method in

response to an erase trigger;

determining whether a report should be generated; and generating a report of the status of a triggered erasure when the report should be generated.

- 23. The method of claim 22 further comprising determining a type of report to be generated.
- 24. The method of claim 22 further comprising determining a destination for the report.

## 25. An apparatus including:

a storage medium supported in a housing;

a secure storage medium eraser that erases a data file on the storage medium in response to an erase trigger;

a report generator that creates a report on a status of a triggered erasure in response to predetermined criteria including at least one of an indication that a report is to be generated, a type of report to generate, and a destination for the report; and

a report setup interface through which the predetermined criteria can be set.

the apparatus performing a selective secure erase report generation method comprising:

checking to see whether a report is to be generated; when a report is to be generated:

> checking a type of report to generate; checking a destination for the report; and generating the report at the destination.

26. The apparatus of claim 25 wherein the report is to be printed on a substrate, the apparatus further performing:

checking where the report should be printed;
printing the report at the apparatus if the apparatus is the destination; and
printing the report on another device when another device is the destination.

- 27. The apparatus of claim 25 wherein the report is to be an e-mail message, the apparatus further performing sending an e-mail message to an e-mail address specified via the report setup interface.
- 28. The apparatus of claim 25 wherein the report is to be a log entry and the apparatus further performs writing the entry in a log file specified via the report setup interface.